



Interventional Cardiac Consultants, P.L.C.

Carlos J. Bayron, M.D., F.A.C.C. • Luis Annoni-Suau, M.D., F.A.C.C. • Kenneth H. Yamamura, M.D., F.A.C.C.
Rudy E. Kunhardt, M.D. • Raul A. Jimenez, M.D., F.A.C.C.
Abdur Rahim, M.D., F.A.C.C.

Invasive
Angiogram
Cardiac Catheterization
P.T.C.A.
Atherectomy
Stents
Rotablater
IVUS

Non-Invasive
Holter Monitor
Echocardiography
Stress Echo
TEE
Carotid Ultrasound
Tissue Doppler
Event Monitor
Contrast Studies
EECP
ABI

Nuclear
Stress Testing
Wall Motion Analysis
T-Wave
MUGA Scan

Arrhythmia
Electrophysiology
Ablation
Pacemaker
Defibrillator
A/V Optimization
PPM/ICD
ILR (Reveal)

Clinical Research
Cardiac Devices
Pharmacology

Office Locations

Premier Medical Center
2055 Little Rd.
Trinity, FL 34655
Ph. (727) 842-9486
Fax (727) 849-2623

Mease Professional Ctr. S.
3251 McMullen Booth Rd.
Suite 100
Clearwater, FL 33761
Ph. (727) 784-6992
Fax (727) 781-0413

Bayonet Point Med. Plaza
14100 Fivay Rd.
Suite 310
Hudson, FL 34667
Ph. (727) 862-3202
Fax (727) 862-2182

Fletcher Medical Center
3000 E. Fletcher Ave.
Suite 120
Tampa, FL 33613
Ph. (813) 972-5248
Fax (813) 971-1960

Patient Name: _____

Echo Appt Date: _____ Time: _____

Stress Appt Date: _____ Time: _____

2 – Day Nuclear Stress Test

Day 1: _____ Time: _____

Day 2: _____ Time: _____

PLEASE BRING YOUR INSURANCE CARDS AND LIST OF MEDICATIONS.

Procedure Requested

- | | |
|---|--|
| <input type="checkbox"/> Nuclear Dobutamine Stress Test | <input type="checkbox"/> Exercise Treadmill |
| <input type="checkbox"/> Nuclear Adenosine Stress Test | <input type="checkbox"/> Echocardiogram |
| <input type="checkbox"/> Nuclear Exercise Stress Test | <input type="checkbox"/> Carotid Ultrasound |
| <input type="checkbox"/> Nuclear Lexiscan Stress Test | <input type="checkbox"/> Stress Echocardiogram |
| <input type="checkbox"/> Other: _____ | |

Drink plenty of WATER prior to your appointment!
Hold all forms of Caffeine / Decaf 12 hours prior to the test
NO food 4 hours prior to appointment time.

- 24 hours** prior to your EXERCISE or DOUBTAMINE stress test
DO NOT TAKE ANY BETA BLOCKERS
(Beta-Adrenergic Blocking Drugs)

Commonly Used Brand Names in the United States: Betapace (sotalol), Blocadren (timolol), Brevibloc (esmolol), Cartrol (carteolol), Coreg (carvedilol), Corgard (nadolol), Inderal (propranolol), Inderal-LA (propranolol), Kerlone (betaxolol), Levatol (penbutolol), Lopressor (metoprolol), Normodyne (labetalol), Sectral (acebutolol), Tenormin (atenolol), Toprol-XL (metoprolol), Trandate (labetalol), Visken (pindolol), Zebeta (bisoprolol)

- 72 hours** prior to your ADENOSINE or LEXISCAN stress test
DO NOT TAKE
- Persantine (dipyridamole)
 - Aggrenox
 - Theophylline
 - Isosorbide, Nitro, or Nitro Patch

If you are asthmatic or taking inhalers, bring it to the attention of the technologist prior to the test. Please give 24 hours notice of cancellation